

REPORT DOCUM	MENTATION PAGE	CCESSION NO.	READ INSTRUCTIONS BEFORE COMPLETING FOR 3. RECIPIENT'S CATALOG NUMBER	
T. REPORT NUMBER	DA OH		. RECIPIENT'S CATALOG NUMBER	
Chondroma of the To	ngua 1	1.)	5. Type of REPORT & PERIOD CO Manuscript for publicat June 75 - December 76	
2 cholidrona of the re	Singue •	069	6. PERFORMING ORG. REPORT NU	MBER
AUTHOR(*)			8. CONTRACT OR GRANT NUMBER	(0)
Carlos E./del Rio			B S	
JS Army Institute of Der			10. PROGRAM ELEMENT PROJECT	TASK
Walter Reed ARmy Medical	Center'		Task Area 80 Work Unit	004
Washington, D. C. 20012		(1)	12. SEPORT DATE	
(9) Rept. for		4	3 December 1976	
Jun 25- De	ec 76,		9	
4. и	Cont	rolling Office)	15. SECURITY CLASS. (of this report	0
(2) 1H2			Unclassified	
(2)			15a. DECLASSIFICATION DOWNGRA	DING
S. DISTRIBUTION STATEMENT (of the	• Report)			
This document has been a is unlimited. 17. DISTRIBUTION STATEMENT (of the				ion
is unlimited.				ion
is unlimited.				
is unlimited.	abstract entered in Black 20), if different from	Report) D D	
13. SUPPLEMENTARY NOTES 19. KEY WORDS (Continue on reverse all Chondroma; Tongue;	de if necessary and identify i), if different from	Report) D D	
13. SUPPLEMENTARY NOTES 19. KEY WORDS (Continue on reverse all Chondroma; Tongue;	de II necessary and Identify I), if different from	Report) D D	
18. SUPPLEMENTARY NOTES 19. KEY WORDS (Continue on reverse signal of the p. 1) This paper 20. ABSTRACT (Continue on reverse signal of the p. 2).	de II necessary and Identify	o, if different from by block number) by block number)	DEC 16 19	C 76 76
19. KEY WORDS (Continue on reverse all Chondroma; Tongue;	de II necessary and Identity is Diagnosis Fer or ts a is it necessary and Identity is	y block number) he right,	DEC 16 19 DEC 16 19 DEC 16 19 DEC 16 19	76 C
19. KEY WORDS (Continue on reverse since A Tare case Jis reported of the tongue. Possible	de II necessary and Identity is Diagnosis Fer or ts a is it necessary and Identity is	y block number) he right,	DEC 16 19 DEC 16 19 DEC 16 19 DEC 16 19	76 C

CHONDROMA OF THE TONGUE:

A CASE REPORT

Carlos E. del Rio, BS, DDS, Colonel U. S. Army Chief, Division of Clinical Research Director of Endodontic Residency U.S. Army Institute of Dental Research Washington, D.C. 20012 A rare case is reported of chondroma in the right, posterior, ventral surface of the tongue. Possible etiology is discussed, and the method of treatment described.

Chondroma is a benign neoplasm of cartilage which occurs rarely in the oral cavity. It is so uncommon in the tongue that only sixteen cases have been reported in the literature. \rightarrow (contamp 1473A)

Pless reviewed the literature up to 1934, and reported a case of a chondroma localized at the tip of the tongue. (1) His review included the cases from: Berry, who in 1892 reported a chondroma of five years duration in the lateral border of the tongue of a forty-nine year old male; Lang, who in 1892 described a sessile cartilaginous tumor of twenty years duration in the tongue of a twenty-two year old female; Routier, who in 1905 reported a chondroma of four years duration in the right border of the tongue of a twenty-one year old female; Camus and Ertzbeschoff, also in 1905, who reported a case of a 3cm by 2cm chondroma in the right anterior border of the tongue; Huie, who in 1927 described a tumor measuring 13cm by 10cm which provoked catarrhal symptoms, dysphonia, and dysphagia in a female, and Gentscheff, in 1934, who reported various cartilaginous nodules of the tongue. (2) § (6)

Johns reported in 1942 a twenty year asymptomatic cartilaginous nodule in the right lingual border of the tongue. (2) Bruce and McDonald, in 1953 reported a 5mm asymptomatic pale, hard nodule in the anterior portion close to the right border of the dorsum of the tongue, in a fifty-two year old white male and a small nodule, 3mm in diameter in the middle third of the dorsum of the tongue in a forty-three year old white female. (1) In 1961, Rosen reported the case of a thirty-six year old white male who had a hard, movable, 2 by 1.5cm mass, in the left lateral border of the tongue. The lesion had been present for twenty years. (3)

Yoel and Pundyk, in 1965, described a hard, painless, fairly adherent growth, measuring 4.5cm by 1.0cm between the middle and posterior thirds of the dorsum of the tongue, anterior to the lingual "V" and spreading upward to the right border. This lesion had existed for eight years in a thirty-six year old male. (2) Two smooth rounded masses, 1cm in diameter in the right middle third of the dorsum and the lateral margin of the tongue, occurring in a 10 year old female were reported in 1968 by Ramachandran and Viswanathan. (5) Vilglioglia and Stirparo, in 1970, described a hard bi-lobular lesion, 3cm in diameter, at the junction of the medial and posterior thirds of the dorsum of the tongue, occurring in a pregnant 26 year old female. (6) Samant and Gupta, in 1971 reported a chondroma in a 16 year old boy, which presented as an almond-size, painless swelling of years duration on the dorsum of the right posterior third of the tongue. (7)

The most recent report, by Gutmann, et al, in 1974, describes a 1.5cm lesion of 18 months duration in a 42-year-old female. (8) Table 1.

It is recognized that chondroma of the tongue is a very rare lesion, and for this reason the following report of a case is presented.

CASE REPORT

A twenty-one year old white male in no acute distress was seen for a routine dental examination. Complete dental examination revealed a well-developed, well-nourished male with multiple caries and a 0.5cm, round hard, white movable nodule on the right posterior ventral surface of the tongue. (Figure 1). The lesion was asymptomatic and of unknown duration. An excisional biopsy was performed under local anesthesia and the specimen forwarded for pathologic examination.

Microscopically, the section showed a strip of oral mucosa. The covering epithelium and superficial lamina propia were essentially normal. The deeper zone of lamina propia contained a well-circumscribed nodule of cartilage measuring about 4mm in its greatest diameter. The cartilage was hyaline in nature, with relatively few chondrocytes noted. There was no apparent inflammatory reaction in the surrounding connective tissue or striated muscle. (Figure 2, 3 and 4). The diagnosis was benign chondroma of the tongue.

The patient was observed one year post-operatively. The biopsy site was normal with no apparent scar formation.

DISCUSSION

Chondromas may occur in organs or tissues in which cartilage is normally absent, for instance, the tonsils, kidneys, thyroid, tongue and the mammary glands. (4) To explain the origin of these chondromas, two theories have evolved. The "embryonal theory" proposes that the tumor originates from remnants of displaced fetal cartilagenous tissue which lie dormant in an abnormal habitat until proper stimulation for growth occurs. The "cellular metaplasia" theory suggests that the tumor has its origin in the pluripotential mesenchymal cells which, due to some type of unknown stimulation, possibly trauma, will differentiate into chondrocytes, forming the nidus for chondroma. (1) Although both theories are feasible, the complexity of proving etiology is beyond the scope of this report.

Because of its hardness and white color, this benign neoplasm can be easily differentiated from fibromas, lipomas, angiomas, angiofibromas, and lymphoepithelial cysts. It is differentiated from osteomas of the tongue by histological examination.

Cartilage is essentially an embryonal and transitory tissue, and is readily subjected to metaplastic changes. It is possible, therefore, that some reported osteomas of the tongue have developed form chondromas of the tongue. (9)

Since chondrosarcomas may develop from these benign lesions, the treatment of choice is complete excision. (4)

ILLUSTRATIONS

Fig. 1 View of the clinical lesion on the right posterior ventral surface of the tongue.

Fig. 2 Low power photomicrograph of the cartilagenous mass; note the sparsity of chondrocytes.

Fig. 3 High power photomicrograph showing some of the chondrocytes

Fig. 4 High power photomicrograph showing the homogenous mass which displaces surrounding striated muscle.

REFERENCES

- Bruce, K. W., and McDonald, J.R.: Chondroma of the Tongue, <u>Oral Surg.</u>, 6:1281-1283, 1953.
- Yoel, J., and Pundyk, C.: Chondroma of the Tongue, <u>Oral Surg.</u>, <u>20</u>:578-582, 1965.
- 3. Rosen, M. D.: Chondroma of the Tongue: Report of a Case: J. Oral Surg.,
 Anesth. and Hosp. D. Serv. 19:157-159, 1961
- 4. Thoma, K. H., and Goldman, H.: Oral Pathology, ed. 5, St. Louis, 1960, The C. V. Mosby Company, pp. 1255-1258.
- Ramachandran, K. and Viswanathan, R.: Chondroma of the Tongue: Report of a case, Oral Surg., 25:487-490, 1968.
- 6. Viglioglia, P., and Stirparo, M.: Chondroma of the Tongue, Oral Surg., 29:820-826, 1970.
- 7. Samant, H. C., and Gupta, O. P.: Chondroma of the Tongue, <u>Oral Surg.</u>, 32:450-452, 1971.
- Gutmann, J., Cifuentes, C., Balzarini, M. A., Sobarzo, V. and Vicuna, R.: Chondroma of the Tongue, Oral Surg., 37:75-77, 1974.
- Ewing, J.: Neoplastic Diseases: A Treatise on Tumors, ed. 4, Philadel.,
 1940, W. B. Saunders Company, p. 205.

The author acknowledges the assistance of Drs. C. A. Waldron and W. C. Lail in the preparation of this article.

Reprint requests to:

Col. C. E. del Rio
U. S. Army Institue of Dental Research
Walter Reed Army Medical Center
Washington, D. C. 20012

TABLE 1. SUMMARY OF CASES OF CHONDROMA OF THE TONGUE.

SIZE				3 x 2 cm	13 x 10 cm				5 mm in diameter	3 mm in diameter	
LINGUAL LOCATION	Lateral Border		Right edge	Right anterior edge		Multiple nodules	Tip	Right border	Anterior portion of dorsum	Middle third of dorsum	Character 430 Language
DURATION	(Year) 5	50	4					50	2	-	2
SEX	M	F	F		±			Σ	M	ı.	2
PATIENT	49	22	12						52	43	3,5
AUTHOR	1. Berry (1892)	2. Lang (1892)	3. Routier (1905)	4. Canus and Ertzbeschoff (1905)	5. Huie (1927)	6. Gentscheff (1934)	7. Pless (1936)	8. Johns (1942)	9. Bruce and McDonald (1953)	10. Bruce and McDonald (1953)	11 Rosen (1961)

	,					
SIZE	4.5 x 1 cm	l cm in dia.	3 cm in dia.	Almond-size 2.5 x l cm	13 x 7 mm	.5 cm
LINGUAL LOCATION	Between middle and posterior thirds of right dorsum	Middle third of dorsum and lateral margin	Dorsum at the junction of medial and posterior thirds	Dorsum of the right posterior third	Middle third of dorsum	Right posterior ventral sur- face
DURATION	(Year) 8	2	9.5	9	1.5	Unknown
SEX	Σ	F	j	W	LL.	Σ
PATIENT AGE	36	01	26	16	42	21
AUTHOR	12. Yocl and Pundyk (1965)	. Ramachandran and Viswanathan (1968)	. Viglioglia and Stirpara (1970)	15. Samant and Gupta (1971)	16. Gutmann, Cifuentes, Balzarini, Sobarzo and Vicuna (1974)	17. del Rio (1976)
	12.	13.	4.	15.	16.	17.



